[This question paper contains 12 printed pages.]

Your Roll No.....

Sr. No. of Question Paper : 8650 **J**

Unique Paper Code : 2272101203

Name of the Paper : Intermediate Statistics for Economics

Name of the Course : **ITEP**

Semester / Level : II, 2025 / Secondary (Hons.)

Duration : 3 Hours Maximum Marks : 90

Instructions for Candidates

1. Write your Roll No. on the top immediately on receipt of this question paper.
2. **All** questions within each are to be answered in a contiguous manner on the answer sheet. Start each question on a new page, and all subparts of a question should follow one after the other.
3. All intermediate calculations should be rounded off to 3 decimal places. The values provided in statistical tables should not be rounded off. All final calculations should be rounded off to two decimal places.
4. Use of a simple calculator is allowed.
5. Statistical tables are attached for your reference.
6. This paper contains two sections. Attempt both sections.

P.T.O.

Section-I

All questions in Section I are compulsory.

1. Let Y be the number of contracts received by a randomly selected infrastructure company. Suppose the probability mass function of Y is as follows:

Y	1	2	3	4
P(y)	0.2	0.4	0.3	0.1

(a) Consider a random sample of two companies, obtain the probability distribution of S^2.

(b) Calculate $P(S^2 > 2.5)$ and $P(1.1 < S^2 < 6.5)$, when a random sample of size 2 is selected. (5+5)

2. (a) Suppose the number of hours per week that a college student spends on social media platforms (X) has a mean of 20 hours and a standard deviation of 4 hours. If sixty students are selected randomly, what is the probability that the average hours spent by this group on social media in a week is between 19.8 and 21.1 hours?

(b) Assuming the mean height of students is an exactly normal distribution be 68.22 inches and variance of 10.8 inches squares. How many students in a college of 1000 students would you expect to be over six feet tall? (5+5)

3. (a) The time that it takes a randomly selected rat of a certain subspecies to find its way through a maze is a normally distributed random variable with mean 1.5 minutes and standard deviation 0.35 minutes. Suppose five rats are selected. Let $X_1, X_2, \ldots\ldots, X_5$ denote their times in the maze. Assuming the X_i's to be a random sample from this normal distribution, what is the probability that the total time $T_0 = X_1 + X_2 + \ldots\ldots + X_5$ for the five is between 6 and 8 minutes?

(b) Suppose a population is normally distributed with mean $\bar{x}$ and unknown variance σ^2. From this population, a sample of size 64 is drawn with an average value of 4.1 and a standard deviation of 1.9. Find the 92% confidence interval for $\bar{x}$. Write the interpretation of the 92% confidence interval, also write the upper confidence bound for $\bar{x}$ for the 92% confidence level. (5+10)

4. Let X be the number of words typed by student in a minute. Suppose the probability distribution of X is as follows:

X:	40	50	60	70
p(x):	0.25	0.35	0.30	0.10

(i) Obtain the sampling distribution of the average number of words typed in a minute ($\bar{X}$) by 2 students.

(ii) Verify that the expected value of $\bar{X}$ is equal to the population mean. (10+5)

Section-II

Attempt any two questions from questions 5, 6, and 7.

5. (a) A manufacturer of sprinkler systems used for fire protection in office buildings claims that the true average system-activation temperature is 130°. A sample of n=9 systems, when tested, yields a sample average activation temperature of 131.08°F. If the distribution of activation times is normal with standard deviation 1.5°F, does the data contradict the manufacturer's claim at significance level $\alpha = 0.01$?

(b) Certain gram variety tested on 64 plots gave an average yield as 985 kg/ha, and variance 1600 kg2/ha. Test at 5% level of significance that the experiment agreed with the breeders claim that the average yield of the variety is 1000 kg/ha. Also construct 95% confidence interval for population mean. (10+10)

6. (a) Ten individuals are chosen at random from a normal population and their heights are found as follows: 63, 63, 66, 67, 68, 69, 70, 70, 71 and 71 inches, respectively. Test whether the mean height is 69.6 inches in the population (use $\alpha = 0.05$). Also construct the 95% confidence interval for population mean (μ).

(c) A random sample of the heights in inches of adult males living in two different countries gave the following results,

$n_1 = 640$, $\bar{X} = 67.35''$ and $s_1 = 2.56''$

$n_2 = 160$, $\bar{Y} = 68.56''$ and $s_2 = 2.52''$

Test at 0.01 level of significance whether the average height of males in the two countries differ significantly? (10+10)

7. In a certain experiment conducted to compare two types of pig foods A and B, the following results of increase in weights were observed in pigs.

Pig Number		1	2	3	4	5	6	7	8	Total
Increase in weight (kg)	*Food A*	49	53	51	52	47	50	52	53	407
	Food B	52	55	52	53	50	54	54	53	423

(i) Assuming that the two samples of pigs are independent, can we conclude that food B is better than food A ?

(ii) Also examine the case when the same set of eight pigs were used in both the foods. (10+10)

Table 1: Standard Normal Curve Areas

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.00	0.5000	0.4960	0.4920	0.4880	0.4841	0.4801	0.4761	0.4721	0.4681	0.4641
-0.10	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.20	0.4207	0.4168	0.4129	0.4091	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.30	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.40	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.50	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.60	0.2743	0.2709	0.2676	0.2644	0.2611	0.2579	0.2546	0.2514	0.2483	0.2451
-0.70	0.2420	0.2389	0.2358	0.2327	0.2297	0.2266	0.2236	0.2207	0.2177	0.2148
-0.80	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.90	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-1.00	0.1587	0.1563	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-1.10	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.20	0.1151	0.1131	0.1112	0.1094	0.1075	0.1057	0.1038	0.1020	0.1003	0.0985
-1.30	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.40	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0722	0.0708	0.0694	0.0681
-1.50	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.60	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.70	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.80	0.0359	0.0352	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.90	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-2.00	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-2.10	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.20	0.0139	0.0136	0.0132	0.0129	0.0126	0.0122	0.0119	0.0116	0.0113	0.0110
-2.30	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.40	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0070	0.0068	0.0066	0.0064
-2.50	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.60	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.70	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.80	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.90	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-3.00	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-3.10	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.20	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.30	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.40	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002	0.0002

Table 1: Standard Normal Curve Areas (cont.)



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5754
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7258	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7518	0.7549
0.7	0.7580	0.7612	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7996	0.8023	0.8051	0.8079	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9430	0.9441
1.6	0.9452	0.9463	0.9474	0.9485	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9700	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9762	0.9767
2.0	0.9773	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9865	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9980	0.9980	0.9981
2.9	0.9981	0.9982	0.9983	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998	0.9998

P.T.O.

Table 2: Critical Values for t Distribution



	α						
ν	.10	.05	.025	.01	.005	.001	.0005
1	3.078	6.314	12.706	31.821	63.657	318.31	636.62
2	1.886	2.920	4.303	6.965	9.925	22.326	31.598
3	1.638	2.353	3.182	4.541	5.841	10.213	12.924
4	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	1.397	1.860	2.306	2.896	3.355	4.501	5.041
9	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	1.319	1.714	2.069	2.500	2.807	3.485	3.767
24	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	1.310	1.697	2.042	2.457	2.750	3.385	3.646
32	1.309	1.694	2.037	2.449	2.738	3.365	3.622
34	1.307	1.691	2.032	2.441	2.728	3.348	3.601
36	1.306	1.688	2.028	2.434	2.719	3.333	3.582
38	1.304	1.686	2.024	2.429	2.712	3.319	3.566
40	1.303	1.684	2.021	2.423	2.704	3.307	3.551
50	1.299	1.676	2.009	2.403	2.678	3.262	3.496
60	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	1.282	1.645	1.960	2.326	2.576	3.090	3.291

Table A.9 Critical Values for F Distributions

ν_2 = denominator df	α	ν_1 = numerator df: 1	2	3	4	5	6	7	8	9
1	.100	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86
	.050	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54
	.010	4052.20	4999.50	5403.40	5624.60	5763.60	5859.00	5928.40	5981.10	6022.50
	.001	405,284	500,000	540,379	562,500	576,405	585,937	592,873	598,144	602,284
2	.100	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
	.050	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
	.010	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39
	.001	998.50	999.00	999.17	999.25	999.30	999.33	999.36	999.37	999.39
3	.100	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
	.050	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
	.010	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35
	.001	167.03	148.50	141.11	137.10	134.58	132.85	131.58	130.62	129.86
4	.100	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
	.050	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
	.010	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66
	.001	74.14	61.25	56.18	53.44	51.71	50.53	49.66	49.00	48.47
5	.100	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
	.050	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
	.010	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16
	.001	47.18	37.12	33.20	31.09	29.75	28.83	28.16	27.65	27.24
6	.100	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
	.050	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
	.010	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98
	.001	35.51	27.00	23.70	21.92	20.80	20.03	19.46	19.03	18.69
7	.100	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
	.050	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
	.010	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
	.001	29.25	21.69	18.77	17.20	16.21	15.52	15.02	14.63	14.33
8	.100	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56
	.050	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
	.010	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
	.001	25.41	18.49	15.83	14.39	13.48	12.86	12.40	12.05	11.77
9	.100	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
	.050	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
	.010	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
	.001	22.86	16.39	13.90	12.56	11.71	11.13	10.70	10.37	10.11
10	.100	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
	.050	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
	.010	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
	.001	21.04	14.91	12.55	11.28	10.48	9.93	9.52	9.20	8.96
11	.100	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27
	.050	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
	.010	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63
	.001	19.69	13.81	11.56	10.35	9.58	9.05	8.66	8.35	8.12
12	.100	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
	.050	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
	.010	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
	.001	18.64	12.97	10.80	9.63	8.89	8.38	8.00	7.71	7.48

(continued)

Table A.9 Critical Values for *F* Distributions *(cont.)*

ν_1 = numerator df										
10	12	15	20	25	30	40	50	60	120	1000
60.19	60.71	61.22	61.74	62.05	62.26	62.53	62.69	62.79	63.06	63.30
241.88	243.91	245.95	248.01	249.26	250.10	251.14	251.77	252.20	253.25	254.19
6055.80	6106.30	6157.30	6208.70	6239.80	6260.60	6286.80	6302.50	6313.00	6339.40	6362.70
605,621	610,668	615,764	620,908	624,017	626,099	628,712	630,285	631,337	633,972	636,301
9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.47	9.48	9.49
19.40	19.41	19.43	19.45	19.46	19.46	19.47	19.48	19.48	19.49	19.49
99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.48	99.49	99.50
999.40	999.42	999.43	999.45	999.46	999.47	999.47	999.48	999.48	999.49	999.50
5.23	5.22	5.20	5.18	5.17	5.17	5.16	5.15	5.15	5.14	5.13
8.79	8.74	8.70	8.66	8.63	8.62	8.59	8.58	8.57	8.55	8.53
27.23	27.05	26.87	26.69	26.58	26.50	26.41	26.35	26.32	26.22	26.14
129.25	128.32	127.37	126.42	125.84	125.45	124.96	124.66	124.47	123.97	123.53
3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.80	3.79	3.78	3.76
5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.70	5.69	5.66	5.63
14.55	14.37	14.20	14.02	13.91	13.84	13.75	13.69	13.65	13.56	13.47
48.05	47.41	46.76	46.10	45.70	45.43	45.09	44.88	44.75	44.40	44.09
3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.15	3.14	3.12	3.11
4.74	4.68	4.62	4.56	4.52	4.50	4.46	4.44	4.43	4.40	4.37
10.05	9.89	9.72	9.55	9.45	9.38	9.29	9.24	9.20	9.11	9.03
26.92	26.42	25.91	25.39	25.08	24.87	24.60	24.44	24.33	24.06	23.82
2.94	2.90	2.87	2.84	2.81	2.80	2.78	2.77	2.76	2.74	2.72
4.06	4.00	3.94	3.87	3.83	3.81	3.77	3.75	3.74	3.70	3.67
7.87	7.72	7.56	7.40	7.30	7.23	7.14	7.09	7.06	6.97	6.89
18.41	17.99	17.56	17.12	16.85	16.67	16.44	16.31	16.21	15.98	15.77
2.70	2.67	2.63	2.59	2.57	2.56	2.54	2.52	2.51	2.49	2.47
3.64	3.57	3.51	3.44	3.40	3.38	3.34	3.32	3.30	3.27	3.23
6.62	6.47	6.31	6.16	6.06	5.99	5.91	5.86	5.82	5.74	5.66
14.08	13.71	13.32	12.93	12.69	12.53	12.33	12.20	12.12	11.91	11.72
2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.35	2.34	2.32	2.30
3.35	3.28	3.22	3.15	3.11	3.08	3.04	3.02	3.01	2.97	2.93
5.81	5.67	5.52	5.36	5.26	5.20	5.12	5.07	5.03	4.95	4.87
11.54	11.19	10.84	10.48	10.26	10.11	9.92	9.80	9.73	9.53	9.36
2.42	2.38	2.34	2.30	2.27	2.25	2.23	2.22	2.21	2.18	2.16
3.14	3.07	3.01	2.94	2.89	2.86	2.83	2.80	2.79	2.75	2.71
5.26	5.11	4.96	4.81	4.71	4.65	4.57	4.52	4.48	4.40	4.32
9.89	9.57	9.24	8.90	8.69	8.55	8.37	8.26	8.19	8.00	7.84
2.32	2.28	2.24	2.20	2.17	2.16	2.13	2.12	2.11	2.08	2.06
2.98	2.91	2.85	2.77	2.73	2.70	2.66	2.64	2.62	2.58	2.54
4.85	4.71	4.56	4.41	4.31	4.25	4.17	4.12	4.08	4.00	3.92
8.75	8.45	8.13	7.80	7.60	7.47	7.30	7.19	7.12	6.94	6.78
2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.04	2.03	2.00	1.98
2.85	2.79	2.72	2.65	2.60	2.57	2.53	2.51	2.49	2.45	2.41
4.54	4.40	4.25	4.10	4.01	3.94	3.86	3.81	3.78	3.69	3.61
7.92	7.63	7.32	7.01	6.81	6.68	6.52	6.42	6.35	6.18	6.02
2.19	2.15	2.10	2.06	2.03	2.01	1.99	1.97	1.96	1.93	1.91
2.75	2.69	2.62	2.54	2.50	2.47	2.43	2.40	2.38	2.34	2.30
4.30	4.16	4.01	3.86	3.76	3.70	3.62	3.57	3.54	3.45	3.37
7.29	7.00	6.71	6.40	6.22	6.09	5.93	5.83	5.76	5.59	5.44

(continued)

Table A.9 Critical Values for *F* Distributions *(cont.)*

ν_2 = denominator df	α	ν_1 = numerator df: 1	2	3	4	5	6	7	8	9
13	.100	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16
	.050	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
	.010	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19
	.001	17.82	12.31	10.21	9.07	8.35	7.86	7.49	7.21	6.98
14	.100	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12
	.050	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
	.010	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03
	.001	17.14	11.78	9.73	8.62	7.92	7.44	7.08	6.80	6.58
15	.100	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
	.050	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
	.010	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
	.001	16.59	11.34	9.34	8.25	7.57	7.09	6.74	6.47	6.26
16	.100	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06
	.050	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
	.010	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78
	.001	16.12	10.97	9.01	7.94	7.27	6.80	6.46	6.19	5.98
17	.100	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03
	.050	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
	.010	8.40	6.11	5.19	4.67	4.34	4.10	3.93	3.79	3.68
	.001	15.72	10.66	8.73	7.68	7.02	6.56	6.22	5.96	5.75
18	.100	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00
	.050	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
	.010	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60
	.001	15.38	10.39	8.49	7.46	6.81	6.35	6.02	5.76	5.56
19	.100	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98
	.050	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
	.010	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52
	.001	15.08	10.16	8.28	7.27	6.62	6.18	5.85	5.59	5.39
20	.100	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
	.050	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
	.010	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
	.001	14.82	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24
21	.100	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95
	.050	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
	.010	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40
	.001	14.59	9.77	7.94	6.95	6.32	5.88	5.56	5.31	5.11
22	.100	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93
	.050	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
	.010	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35
	.001	14.38	9.61	7.80	6.81	6.19	5.76	5.44	5.19	4.99
23	.100	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92
	.050	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
	.010	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30
	.001	14.20	9.47	7.67	6.70	6.08	5.65	5.33	5.09	4.89
24	.100	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91
	.050	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
	.010	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
	.001	14.03	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80

(continued)

e A.9 Critical Values for *F* Distributions *(cont.)*

v_1 = numerator df									
12	15	20	25	30	40	50	60	120	1000
2.10	2.05	2.01	1.98	1.96	1.93	1.92	1.90	1.88	1.85
2.60	2.53	2.46	2.41	2.38	2.34	2.31	2.30	2.25	2.21
3.96	3.82	3.66	3.57	3.51	3.43	3.38	3.34	3.25	3.18
6.52	6.23	5.93	5.75	5.63	5.47	5.37	5.30	5.14	4.99
2.05	2.01	1.96	1.93	1.91	1.89	1.87	1.86	1.83	1.80
2.53	2.46	2.39	2.34	2.31	2.27	2.24	2.22	2.18	2.14
3.80	3.66	3.51	3.41	3.35	3.27	3.22	3.18	3.09	3.02
6.13	5.85	5.56	5.38	5.25	5.10	5.00	4.94	4.77	4.62
2.02	1.97	1.92	1.89	1.87	1.85	1.83	1.82	1.79	1.76
2.48	2.40	2.33	2.28	2.25	2.20	2.18	2.16	2.11	2.07
3.67	3.52	3.37	3.28	3.21	3.13	3.08	3.05	2.96	2.88
5.81	5.54	5.25	5.07	4.95	4.80	4.70	4.64	4.47	4.33
1.99	1.94	1.89	1.86	1.84	1.81	1.79	1.78	1.75	1.72
2.42	2.35	2.28	2.23	2.19	2.15	2.12	2.11	2.06	2.02
3.55	3.41	3.26	3.16	3.10	3.02	2.97	2.93	2.84	2.76
5.55	5.27	4.99	4.82	4.70	4.54	4.45	4.39	4.23	4.08
1.96	1.91	1.86	1.83	1.81	1.78	1.76	1.75	1.72	1.69
2.38	2.31	2.23	2.18	2.15	2.10	2.08	2.06	2.01	1.97
3.46	3.31	3.16	3.07	3.00	2.92	2.87	2.83	2.75	2.66
5.32	5.05	4.78	4.60	4.48	4.33	4.24	4.18	4.02	3.87
1.93	1.89	1.84	1.80	1.78	1.75	1.74	1.72	1.69	1.66
2.34	2.27	2.19	2.14	2.11	2.06	2.04	2.02	1.97	1.92
3.37	3.23	3.08	2.98	2.92	2.84	2.78	2.75	2.66	2.58
5.13	4.87	4.59	4.42	4.30	4.15	4.06	4.00	3.84	3.69
1.91	1.86	1.81	1.78	1.76	1.73	1.71	1.70	1.67	1.64
2.31	2.23	2.16	2.11	2.07	2.03	2.00	1.98	1.93	1.88
3.30	3.15	3.00	2.91	2.84	2.76	2.71	2.67	2.58	2.50
4.97	4.70	4.43	4.26	4.14	3.99	3.90	3.84	3.68	3.53
1.89	1.84	1.79	1.76	1.74	1.71	1.69	1.68	1.64	1.61
2.28	2.20	2.12	2.07	2.04	1.99	1.97	1.95	1.90	1.85
3.23	3.09	2.94	2.84	2.78	2.69	2.64	2.61	2.52	2.43
4.82	4.56	4.29	4.12	4.00	3.86	3.77	3.70	3.54	3.40
1.87	1.83	1.78	1.74	1.72	1.69	1.67	1.66	1.62	1.59
2.25	2.18	2.10	2.05	2.01	1.96	1.94	1.92	1.87	1.82
3.17	3.03	2.88	2.79	2.72	2.64	2.58	2.55	2.46	2.37
4.70	4.44	4.17	4.00	3.88	3.74	3.64	3.58	3.42	3.28
1.86	1.81	1.76	1.73	1.70	1.67	1.65	1.64	1.60	1.57
2.23	2.15	2.07	2.02	1.98	1.94	1.91	1.89	1.84	1.79
3.12	2.98	2.83	2.73	2.67	2.58	2.53	2.50	2.40	2.32
4.58	4.33	4.06	3.89	3.78	3.63	3.54	3.48	3.32	3.17
1.84	1.80	1.74	1.71	1.69	1.66	1.64	1.62	1.59	1.55
2.20	2.13	2.05	2.00	1.96	1.91	1.88	1.86	1.81	1.76
3.07	2.93	2.78	2.69	2.62	2.54	2.48	2.45	2.35	2.27
4.48	4.23	3.96	3.79	3.68	3.53	3.44	3.38	3.22	3.08
1.83	1.78	1.73	1.70	1.67	1.64	1.62	1.61	1.57	1.54
2.18	2.11	2.03	1.97	1.94	1.89	1.86	1.84	1.79	1.74
3.03	2.89	2.74	2.64	2.58	2.49	2.44	2.40	2.31	2.22
4.39	4.14	3.87	3.71	3.59	3.45	3.36	3.29	3.14	2.99